

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PRE-APPEAL BRIEF REQUEST FOR REVIEW		Docket Number (Optional) 1176/306
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on <u>May 3, 2010</u>	Application Number 10/596,416	Filed June 13, 2006
Signature _____	First Named Inventor TSUDA, Akimitsu	
Typed or printed name <u>JULIE NGUYEN</u>	Art Unit 2871	Examiner Chien, Lucy P.

Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.

This request is being filed with a notice of appeal.

The review is requested for the reason(s) stated on the attached sheet(s).

Note: No more than five (5) pages may be provided.

I am the

applicant/inventor.
 assignee of record of the entire interest.
 See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed.
 (Form PTO/SB/96)
 attorney or agent of record.
 Registration number 32,822
 attorney or agent acting under 37 CFR 1.34.
 Registration number if acting under 37 CFR 1.34 _____.

/Wen Liu, Reg. No. 32,822/

Signature

WEN LIU

Typed or printed name

(213) 830-5743

Telephone number

May 3, 2010

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.
 Submit multiple forms if more than one signature is required, see below*.

<input type="checkbox"/>	*Total of _____ forms are submitted.
--------------------------	--------------------------------------

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of:

TSUDA, Akimitsu

Serial No.: 10/596,416

Filing Date: June 13, 2006

For: BACKLIGHT DEVICE

Examiner: Chien, Lucy P.

Group Art Unit: 2871

EXPEDITED PROCEDURE

ARGUMENTS IN SUPPORT OF PRE-APPEAL BRIEF REQUEST FOR REVIEW

I. Status of Claims

The arguments below will be in reference to the claims as entered after final action upon appeal.

II. Claimed Invention

The present invention is direct to a backlight device that uses one light guide with edge light source to provide lighting to main lighting region (e.g., backlighting an LCD display panel with a larger screen size on one side of the light guide) and a sub-lighting region (e.g., backlighting another LCD display panel with a smaller screen size on an opposite side of the light guide). Given the different sizes of lighting regions, the light source is controlled in accordance with illumination mode for the main lighting region and illumination for the sub-lighting region, so that more light is provided to illuminate the larger main lighting region and less light is provided to illuminate the smaller sub-lighting region. In the disclosed embodiment, the controller selects the illumination mode and switches the power to the light source accordingly. For example, the light source is controlled to emit a smaller amount of light needed to illuminate the smaller display panel, and a larger amount of light needed to illuminate the larger display panel.

Applicant emphasizes the difference between control of the light source versus control of the display panel. For applications in LCD displays, the controller controls switching the light source depending on the illumination modes between the main lighting region and the sub-lighting region. This switching control is different from switching of the LCD panels between displaying at the main lighting region and the sub-lighting region. LCD

displays make use of backlighting, with the liquid crystals in the panel being controlled as light filters to pass or block backlight in accordance with image data (i.e., an image is rendered by appropriate filtering the amount of light passing through the liquid crystals representing each image pixel). Accordingly, for example in a flip type cell phone having a smaller exterior display and a larger interior display on opposite sides of the flip cover of the cell phone, the lighting of the larger and smaller **display panels** is controlled by the switching of the light source in accordance with the present invention. However, the prior art control of the filtering effect of the liquid crystal panel does not control the light source in the manner disclosed by the present invention.

III. Prior Art Rejection

Claims 1-3, 8, 9 and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Yuichi (JP 2002-372711). Independent claim 1 (i.e., previously presented claim 2) recites control means for controlling said light source for illuminating a main lighting region ..., and illuminating a sub-lighting region ..., wherein said controlling means comprises mode select means for selecting either a mode of illuminating the main lighting region or a mode of illuminating the sub-lighting region; and switch means for switching the power supply to said light source according to the mode selected by said mode select means. Yuichi does not disclose control of light source in accordance with illumination mode for main lighting region or illumination mode for sub-light region, by mode selection and switching of the power supply to the light source.

In the final action, the Examiner referred to [0005] in Yuichi to find correspondence to the recited control means, including the mode selection means and switching means for the light source. However, the referenced section in Yuichi is silent on the control of the light source. According to the automated translated version of Yuichi made available at the Japanese Patent Office website, section [0005] states:

“As the electronic equipment 100 which has the liquid crystal display panels 108 and 109 in such a rear surface, the foldaway cellular phone 100 which can receive an E-mail is known, for example (refer to drawing 12). There are some which have the sub display panel 109 which tells reception of the main display panel 108 which is an original display screen, and mail in this cellular phone 100 (refer to drawing 12 (a) and (b)). By the folded state, since the main liquid crystal display panel 108 is closed, this cellular phone 100 is arranged so that the sub liquid crystal display panel 109 may be installed in

the rear-face 117 side of the case 101 and can be seen from the outside also by a folded state (refer to drawing 10 (b)).

Nowhere in the above referenced section in Yuichi contains any teaching of the control of the light source in accordance with the display mode. The Examiner referred item 108 in Yuichi to correspond to the recited control means, but item 108 is specifically identified as a liquid crystal panel, in particular the top liquid crystal panel. Further, as noted above, Yuichi control of the main display panel 108 and sub display 109 in Yuichi would be different from the recited control of the light source in claim 1.

Independent claims 9 and 19 (previously presented claims 13 and 20) were rejected as being obvious based on Kin Kochu in view of Nagakubo. The Examiner failed to show where in Kochu is the disclosure of the recited controller controlling different amount of light from the light source to be emitted into the light guide, wherein the amount depends on whether light is desired to be emitted through the light guide to illuminate the first display or the second display, as required by claims 9 and 19. Further, the Examiner has not pointed out where in Kochu is the disclosure of overlapping lighting regions.

The dependent claims add further limitations to claim 1 to further distinguish from Yuichi. For example, claim 3 recites the switch means supplies the whole light source with the electric power in one mode of illumination, and supplies part of the light source with the electric power in another mode of illumination. Other than the Examiner merely quoting in verbatim the claimed recitations, the Examiner has not identified any corresponding structures disclosed in Yuichi which are deemed to correspond to the recited structures in the claims. For example, the Examiner did not identify which structure in Yuichi corresponds to the recited switch means supplying electric power to whole light source and part of the light source depending on the illumination modes for main and sub-lighting regions.

The Examiner appeared to have considered in the abstract each additional limitation introduced by each dependent claim in the abstract, without considering the base claim and applicable intervening claims, and the interaction of the various recited limitations. For example, with respect to claim 5, the Examiner indicated that West discloses at page 5, claim 13: “wherein said LEDs having higher contribution to the illumination are center-located LEDs ..., therefore to provide a uniform distribution of light.” (See page 5 of the office action.) The Examiner failed to consider claim 5 in connection with claim 1 and intervening claims 2 and 4. The Examiner failed to recognize the recited structural interactions when considered as a whole,

which require that the switch means supplies electric power to center-located LEDs having higher contribution to the illumination in the mode of illuminating the sub-lighting region, as required by claim 4. That is, the region outside of the sub-lighting region does not need to be lit by LEDs. This is different from West, in which its center located colored LEDs are brighter than the LEDs at the ends of the rows to improve color distribution, not uniform light distribution as the Examiner alleged.

Applicant reiterates that it appears that in setting forth the basis for claim rejection, the Examiner merely quoted in verbatim the claim recitations, without identifying all the corresponding structures disclosed in Yuichi which are deemed to correspond to the recited structures in the claims. In the case of previously presented claims 13 and 20, it is interesting to note that the Examiner actually misquoted in the final action the claim recitations. On page 9 of the final action, regarding claims 13 and 20, the Examiner stated: “In addition to Kin Kochu and Nagakubo et al as disclosed above, Kin Kochu (Drawing 5) discloses wherein said controlling means (100) comprises mode select means for selecting either a mode of illuminating the main lighting region (200) or a mode of illuminating the sub-lighting region (300); and switch means ([0029] and [0065] and drawing 7) for switching the power supply to said light source according to the mode selected by said mode select means.” Applicant does not understand how and why the Examiner read into claims 13 and 20 the limitation of “controlling means”, “mode select means” and “switch means”. It is clear that the Examiner failed to appreciate the claim limitations and the teachings of the cited references.

IV. Deficiencies of Advisory Action

The Examiner noted in the Advisory Action:

“Yuichi discloses [0026-0029] that the control signal for controlling either featuring the 1st display [means or] the 2nd displaying [means], therefore the controller selects to either illuminate the main lighting [region] or the mode of illuminating the sub lighting region, and switch means for switching the power supply to the light source according to the mode selected by the mode select means. There has to be illumination so that the displays can be featured and seen by the user. Thus, there is a switching of the power supply by the user opening and closing the cell phone.” (Emphasis added.)

Firstly, Yuichi at [0026] does not disclose what the Examiner noted above. Further, Yuichi does not have paragraphs [0027 - 0029]. Accordingly, Yuichi is irrelevant to support the Examiner’s statement above.

Secondly, the Examiner might have erroneously referred to Yuichi. It appears that she intended to refer to the **Kin Kochu** reference, since Kin Kochu has [0026-0029] and appears to disclose controlling featuring 1st or 2nd displaying means. However, the rejection of claim 1 (previously presented claim 2) is based on anticipation by Yuichi. Accordingly, Kin Kochu has no bearing on the anticipation rejection based on Yuichi.

Thirdly, even Kin Kochu does not disclose the control of the **light source** at [0026-0029]. Instead Kin Kochu discloses switching between 1st and 2nd **displays, not light source**. For similar reasons with respect to claim 1, Kochu, like Yuichi, is likewise deficient in its disclosure of the recited controller that controls light source depending on the mode of illumination needed for the first or second display. Kochu is completely silent on the control of the **light source** for different illumination of first and second display. In fact, Kochu did not even bother to show a light source in its drawings. Kochu is directed to a display configuration that is at most similar to the prior art configuration discussed in reference to Fig. 1 in the present application. Fig. 4 in Kochu appears to illustrate 1st and 2nd display panels sandwiching a single light guide plate. Kochu is silent on the control of any **light source** to emit different amount of light through the single light guide plate depending on whether to illuminate the first or second displays.

Fourthly, the Examiner's Advisory Action failed to address Applicant's arguments directed to the dependent claims.

Accordingly, the Examiner failed to establish a prima facie case of anticipation of claim 1 by Yuichi and of obviousness based on Kin Kochu in view of Nagakubo.

Respectfully submitted,

/Wen Liu, Reg. No. 32,822/

Dated: May 3, 2010

Wen Liu
Registration No. 32,822
LIU & LIU
444 S. Flower Street; Suite 1750
Los Angeles, California 90071
Telephone: (213) 830-5743
Facsimile: (213) 830-5741
Email: wliu@liulaw.com